

# THE TRUTH ABOUT RITALIN ABUSE



R-ball  
Rids  
Smarties

[drugfreeworld.org](http://drugfreeworld.org)

## WHY THIS BOOKLET WAS PRODUCED

There is a lot of talk about drugs in the world—on the streets, at school, on the Internet and TV. Some of it is true, some not.

Much of what you hear about drugs actually comes from those selling them. Reformed drug dealers have confessed they would have said anything to get others to buy drugs.

Don't be fooled. You need facts to avoid becoming hooked on drugs and to help your friends stay off them. That is why we have prepared this booklet—for you.

Your feedback is important to us, so we look forward to hearing from you. You can visit us on the web at [drugfreeworld.org](http://drugfreeworld.org) and e-mail us at [info@drugfreeworld.org](mailto:info@drugfreeworld.org).



# What is Ritalin?

**R**italin is the common name for *methylphenidate*, classified as a Class B drug in New Zealand and a Schedule 8 controlled drug in Australia, the same classification as cocaine, methamphetamine<sup>1</sup> and methadone.<sup>2</sup> It is abused by teens for its stimulant effects.

Even when Ritalin is used as a prescription drug, it may have severe effects including nervousness, insomnia, anorexia, loss of appetite, pulse changes, heart problems and weight loss. The manufacturer says it is a drug of dependency.

In June 2005, the US Food and Drug Administration issued a series of public health advisories warning that Ritalin and drugs like it may cause visual hallucinations,

suicidal thoughts and psychotic behaviour, as well as aggression or violent behaviour.

One writer put it this way: “Parents are never told: ‘Oh, by the way, once in a while a child dies simply by taking their prescribed medication.’ Or ‘By the way, children on stimulant medications have twice the future rate of drug abuse.’ Or ‘By the way, one third of all children on these medications develop symptoms of obsessive-compulsive behaviour within the first year.’”


1 methamphetamine: a highly addictive illegal drug that starts as a stimulant but then begins to destroy the body.

2 methadone: a drug used as a treatment for heroin addiction, but found to be more addictive than heroin.





# Where is it found?



Unfortunately, Ritalin and related “hyperactivity” type drugs can be found almost anywhere. If you are in high school or college, you are likely to have a large supply readily to hand, with “pushers” (your fellow students) eager to make an easy profit from you.

In some US schools, as many as 20% of the students take the drug regularly. The Drug Enforcement Administration found that many of these schools had more of these drugs than the neighborhood pharmacy.

Why is it so common? It is all too easy for a “friend” to take some of his little brother’s prescription pills and turn around and sell them at \$5 a pop. New Zealand police have come across cases of parents selling their child’s prescription, and of users pressuring those with prescribed Ritalin to hand over the drug.

While the law forbids unrestricted distribution of these powerful stimulants,\* the sad fact remains that these substances are freely available almost anywhere. Kiddie Cocaine, as it has been called, is handed out like candy.

\* stimulant: a drug that increases immediate energy and alertness but that is accompanied by increases in blood pressure, heart rate and breathing.





**T**he symptoms  
of almost an  
overdose kick in.  
The person gets very  
hyper, hyper-sensitive,  
hyper-alert, with very  
intense mood swings.  
It's crazy." — Jake



# How Ritalin abuse starts

It seems so simple at first. A student gets a little behind in his studies. An exam comes up and he needs to prepare. He'll have to stay up late to have even a chance of making the grade. Coffee gives him the jitters, but many of his friends use these pills to give the extra energy they need. Why not? A couple of bucks; one pill; an entire night of study; a feeling of "focus."

That may be where it starts, but it is very often not where it ends.

Some students are chopping up Ritalin and snorting it like cocaine for faster absorption. "It keeps you awake for hours," said one.

And just like cocaine or any other stimulant,

that nice “up feeling” is inevitably followed by a “crash,” a feeling of fatigue, depression and decreased alertness. One student on Adderall, another stimulant widely abused on college campuses, recounted that a feeling of “utmost clarity” turned into a state of being “crashed out and overdone” the next day. As one user put it, “I usually go into a crash coma afterwards.”

And, of course, the user soon comes to know that this “crashed out” feeling can be relieved with the “help” of another pill that gets him back up again. And so it goes.

Next may be larger doses, or snorting it for a bigger rush. Tolerance increases, so one has to use more. In these larger doses, Ritalin can lead to convulsions, headaches and hallucinations. The powerful amphetamine-like substance can even lead to death, as in the many tragic cases of children who have died of heart attacks caused by damage linked to the drug.

**I first tried Ritalin when I was in 7th grade. It was prescribed to me—they thought I had slight ADD [attention deficit disorder], because I pretended to so I could have an excuse for not doing well in school (I was just lazy). I never realized that I was getting myself addicted, and then I was no different than any other habitual drug user.**

**“I took about 40 mg a day and I felt it put me at the top of my game. I would stay up for days in a row, to the point I suffered a severe psychotic episode. It was terrifying! Everything seemed to be melting and morphing and I was terrified.” — Andrea**



# What does Ritalin look like?

## And other facts




**R**italin comes in small pills, about the size and shape of aspirin tablets, with the word "Ciba" (the manufacturer's name) stamped on it. The 5 mg tablets are pale yellow, 10 mg tablets are pale green, and the 20 mg tablets are both white and pale yellow.

It is described as a central nervous system stimulant. However, even its manufacturer, in the drug's package insert, admits that no one really knows how it affects the human body: "The mode of action in man is not completely understood."

Abusers grind the tablets into a powder and snort it. The drug is water-soluble, making it easy to convert into a liquid which can be injected.

As noted by the US Drug Enforcement Administration, “pharmaceutical products diverted from legitimate channels are the only sources of methylphenidate available for abuse.” In other words, every tablet of the drug that is abused, either in its original form or ground into a powder or dissolved with water, originated from the manufacturer. None of it is manufactured on the streets.



**N**ow I have built up a tolerance to taking two to three 20 mg pills to get the high. I recognise my dependence... I have become ‘cracked-out’ or zombie-like.” — Alex

# Street names

Ritalin is called by a variety of names on the street, including:

- Diet Coke
- Kiddie Cocaine
- Kiddie Coke
- Vitamin R
- R-ball
- Poor man's cocaine
- Rids
- Skittles
- Smarties






# Poor man's cocaine

Ritalin is easy to get, and cheap. Taken from someone's prescription, stolen from a sibling or obtained by a fraudulent prescription, these tablets are then broadly sold. The price runs from a dollar or two in school to \$20 per pill on the black market.

The comparison of Ritalin to cocaine is not just a slogan. Ritalin is chemically similar to cocaine. When injected as a liquid, it sends that "jolt" that addicts crave so much.

In 2000, the US Drug Enforcement Administration (DEA) revealed the results of studies on both animals and humans who were given cocaine and Ritalin. The test subjects could not tell the difference. The DEA concluded that, "They produce effects that are nearly identical."

**T**est subjects  
who were given  
cocaine and Ritalin  
could not tell  
the difference.



# Scope of Ritalin abuse

**A** abuse of prescription drugs such as Ritalin is increasing.

Nearly half a million Australians are abusing prescription drugs, according to leading drug specialist Professor John Saunders of the University of Queensland. He said that while illegal street drugs grabbed headlines, the misuse of prescription medicine was the "real drug crisis gripping Australia."

In 2007, 3.8 percent of 12<sup>th</sup> graders in the US reported having used Ritalin without a prescription at least once in the past year.

A major factor contributing to the abuse is the huge increase in the number of prescriptions written for Ritalin and other stimulants.

## Trends in the Prescribing of Psychotropic Medications to Preschoolers

**Background:** Several reports on the use of psychotropic medications for preschool-aged children have been published. The purpose of this study was to describe trends in the prescribing of psychotropic medications to preschoolers in the United States from 1993 to 1999.

**Objectives:** To describe trends in the prescribing of psychotropic medications to preschoolers in the United States from 1993 to 1999.

**Design:** A retrospective analysis of data from the National Health and Medical Research Council's (NH&MRC) National Survey of Child Health and Development (NSCHD) from 1993 to 1999.

**Setting:** The study was conducted in the United States.

**Participants:** The study included 1,000 children aged 3 to 5 years.

**Main Results:** The study found that the prescribing of psychotropic medications to preschoolers increased significantly from 1993 to 1999.

**Conclusions:** The study found that the prescribing of psychotropic medications to preschoolers increased significantly from 1993 to 1999.

## May Be for Ritalin

By Kelly Patricia O'Meara

Legislatures are beginning to take action to rein in their undesirable behavior in the classroom.

## Hyper-Drugging of Active Kids

By Kelly Patricia O'Meara



## DEA takes action to stop advertising; ADHD drug use rises

Continued from 19

Months call talk about the rise in use of the drug.

## Back to school for ADHD drugs

Aggressive rise in marketing alarms children's advocates

Karen Thomas

### PRESCRIPTION MEDICATION IN PRESCHOOLERS

The one drug studied revealed that 10% of 3-year-olds were prescribed a psychotropic medication in 1993, and 15% in 1999.

**Changes in Drug Utilization and Off-Label Use:** Clonidine, a blood-pressure drug, was prescribed to 10% of 3-year-olds in 1993, and 15% in 1999.

**Conclusions:** The study found that the prescribing of psychotropic medications to preschoolers increased significantly from 1993 to 1999.

**Background:** Several reports on the use of psychotropic medications for preschool-aged children have been published.

**Objectives:** To describe trends in the prescribing of psychotropic medications to preschoolers in the United States from 1993 to 1999.

**Design:** A retrospective analysis of data from the National Health and Medical Research Council's (NH&MRC) National Survey of Child Health and Development (NSCHD) from 1993 to 1999.

**Setting:** The study was conducted in the United States.

**Participants:** The study included 1,000 children aged 3 to 5 years.

**Main Results:** The study found that the prescribing of psychotropic medications to preschoolers increased significantly from 1993 to 1999.

**Conclusions:** The study found that the prescribing of psychotropic medications to preschoolers increased significantly from 1993 to 1999.

Australia's Ritalin usage rate is among the highest in the world, with more than 264,000 prescriptions issued in 2006, compared to just 11,114 in 1992.

Ritalin use has increased markedly in New Zealand, where the number of prescriptions rose from 2,906 to 49,338 over an 8-year period ending in June 2000. This led to increased illegal use of the drug. Data from the Dunedin needle exchange suggests that Ritalin abuse is higher than that reported overseas.

From 1990 to 2000, 186 deaths in the US were linked to Ritalin. The risk is highest for those who snort large amounts of the drug.

**13 times more  
Ritalin abusers  
checked into  
emergency rooms  
in 2004 than  
in 1990.**

**1990**

Emergency room  
visits involving  
Ritalin

**2004**

Emergency  
room visits  
involving  
Ritalin

**I ended up doing  
a lot of stronger  
amphetamines that  
brought me down pretty  
quick, and I don't know  
if I would have gotten  
interested in them if I  
hadn't started using  
Ritalin." — Andy**





# The vicious effects of prescription stimulants

This amphetamine-like substance causes the same types of effects on the body as other forms of speed—loss of appetite, insomnia, increased heart rate. The abuse of this drug in larger doses, especially through injection or snorting, puts an even greater strain on the body. The stress on the heart can be fatal.

Take the case of a teenager—a long-term user of Ritalin—who collapsed one day while skateboarding. Dead of a heart attack.

An injection of Ritalin has an additional, horrible effect on the body. While the chemical compound methylphenidate dissolves completely in water, the tablets

also contain tiny particles of insoluble fillers. These solid materials block the small blood vessels when injected into the blood stream, causing serious damage to the lungs and to the eyes.

Aside from the physical impact, there are also severe emotional conditions caused by even short-term use of this drug. Hallucinations and psychotic behaviour are not uncommon.

A researcher in Texas found that Ritalin use may heighten the danger of cancer. This study found every one of a dozen children treated with methylphenidate experienced genetic abnormalities associated with an increased risk of cancer.


## SHORT-TERM EFFECTS

- Loss of appetite
- Increased heart rate, blood pressure, body temperature
- Dilation of pupils
- Disturbed sleep patterns
- Nausea
- Bizarre, erratic, sometimes violent behaviour
- Hallucinations, hyper-excitability, irritability
- Panic and psychosis
- Convulsions, seizures and death from high doses

## LONG-TERM EFFECTS

- Permanent damage to blood vessels of heart and brain, high blood pressure leading to heart attacks, strokes and death
- Liver, kidney and lung damage
- Destruction of tissues in nose if sniffed
- Respiratory (breathing) problems if smoked
- Infectious diseases and abscesses if injected
- Malnutrition, weight loss
- Disorientation, apathy, confused exhaustion

- Strong psychological dependence
- Psychosis
- Depression
- Damage to the brain including strokes and possibly epilepsy





# Ritalin leads to other drugs

A study supported by the US National Institute on Drug Abuse found that users of Ritalin and similar drugs “showed the highest percentage of cocaine abuse.”

Because a tolerance builds up, abuse of Ritalin can lead users to consume stronger drugs to achieve the same high. When the effects start to wear off, the person may turn to more potent drugs to rid himself

**KURT'S STORY:** Rock legend Kurt Cobain started on Ritalin at age 7. Cobain's widow, Courtney Love, believed that this drug led to his later abuse of stronger drugs. He committed suicide with a shotgun in 1994. Love was also prescribed Ritalin as a child. She described the experience this way: “When you're a kid and you get this drug that makes you feel that [euphoric] feeling, where else are you going to turn when you're an adult?”



of the unwanted conditions that prompted him to abuse the drug in the first place.

Ritalin itself does not lead the person to other drugs: people take drugs to get rid of unwanted situations or feelings. The drug masks the problem for a time (while the user is high). When the “high” fades, the problem, unwanted condition or situation returns more intensely than before. The user may then turn to stronger drugs since Ritalin no longer “works.”

A study of 500 students over a period of 25 years found those who used Ritalin and related drugs had a greater likelihood of using cocaine and other stimulants later in life.

According to a 2005 study, teens who abuse prescription drugs are 12 times likelier to use heroin, 15 times likelier to use Ecstasy and 21 times likelier to use cocaine, compared to teens who do not abuse such drugs.

## Common Justifications (Don't fall into the trap):

**There are many justifications  
for taking this powerful drug.  
Recognise them for what they  
are—Lies!**

- **Everyone is using it.**
- **It's just for study.**
- **My brother takes it for a learning disorder, it can't be that bad.**
- **It's not addicting.**
- **You can control it. You don't have to use it again if you don't want to.**

**Don't let others—including your friends—lead you into the trap.**

# DEATH from Ritalin

High doses of Ritalin lead to similar symptoms such as other stimulant abuse, including tremors and muscle twitching, paranoia,\* and a sensation of bugs or worms crawling under the skin.

One 17-year-old, after snorting crushed Ritalin pills and staying awake for days, went psychotic, killed his parents and severely injured his brothers and sister

## MATTHEW'S STORY:

Matthew was a teenager who had been on Ritalin for 7 years. He died suddenly in March 2000. Although he had no history of heart problems, the autopsy revealed clear signs of small-vessel damage. His parents were told by one of the medical examiners that the heart of a healthy, fully grown man weighs about 350 grams. Matthew's heart weighed 402 grams. His death certificate reads: "Death caused from long-term use of methylphenidate (Ritalin)."

\* paranoia: suspicion, distrust or fear of other people.



with a hatchet. A 14-year-old, on Ritalin since he was 7, beat another boy to death with a baseball bat.

Ritalin can cause aggression, psychosis and an irregular heartbeat that can lead to death.

### **IT'S A CRIME TO ABUSE IT**

In the United States, Ritalin is subject to severe criminal penalties for abuse. The penalties for a first trafficking offense (which you would be guilty of even if you just shared one or two pills with a friend) includes up to 20 years in prison and a fine of up to \$1 million.

If death or serious injury results from a first offense, the penalty is 20 years to life in prison. If the drug is injected, it becomes a drug offense with even harsher penalties.

**I** realize that my interest in and resulting dependence on speed started when I was prescribed Ritalin. At first it was every weekend, then it was every day.

“I began to get hallucinations of birds flying overhead, feelings of people in the same room as me when I was alone, and the beginnings of paranoia. I used up [my friend’s] entire Dexedrine prescription within a week. Then I went back to my Ritalin and went on from there.

“I don’t remember much of 12th grade. But I do remember overwhelming depression and an inability to understand what exactly was the reason I was doing worse than ever in school. I barely graduated, and made absolutely no college plans.

“At the last minute I enrolled in the local college. I was able to stay clean for about 17 days before the need for speed overcame all. I attended class for one week, and failed miserably.” — Sam



# The Truth About Drugs

Drugs are essentially poisons. The amount taken determines the effect.

A small amount acts as a stimulant (speeds you up). A greater amount acts as a sedative (slows you down). An even larger amount poisons and can kill.

This is true of any drug. Only the amount needed to achieve the effect differs.

But many drugs have another liability: they directly affect the mind. They can distort the user's perception of what is happening around him or her. As a result, the person's actions may be odd, irrational, inappropriate and even destructive.

Drugs block off all sensations, the desirable ones with the unwanted. So, while providing short-term help in the relief of pain, they also wipe out ability and alertness and muddy one's thinking.

Medicines are drugs that are intended to speed up or slow down or change something about the way your body is working, to try to make it work better. Sometimes they are necessary. But they are still drugs: they act as stimulants or sedatives, and too much can kill you. So if you do not use medicines as they are supposed to be used, they can be as dangerous as illegal drugs.

**The real answer is to  
get the facts and not  
to take drugs in the  
first place.**



## WHY DO PEOPLE TAKE DRUGS?

People take drugs because they want to change something in their lives.

Here are some of the reasons young people have given for taking drugs:

- To fit in
- To escape or relax
- To relieve boredom
- To seem grown up
- To rebel
- To experiment

They think drugs are a solution. But eventually, the drugs become the problem.

Difficult as it may be to face one's problems, the consequences of drug use are always worse than the problem one is trying to solve with them. The real answer is to get the facts and not to take drugs in the first place.





## REFERENCES

U.S. Drug Enforcement Administration Fact Sheet on Prescription Drug Abuse

Monitoring the Future—National Results on Adolescent Drug Use, Overview of Findings 2007, National Institute on Drug Abuse

U.S. Dept of Health & Human Services, Testimony by Nora D. Volkow, MD, before the Senate Judiciary Subcommittee on Crime and Drugs, 12 Mar 2008

Emergency Department Visits Involving ADHD Stimulant Medications, Substance Abuse and Mental Health Administration, 2006  
United Nations Office on Drugs and Crime

"Millions Have Misused ADHD Stimulant Drugs, Study Says," Shankar Vedantam, *Washington Post*, 25 Feb 2006

"NIDA InfoFacts: Stimulant ADHD Medications—Methylphenidate and Amphetamines," National Institute on Drug Abuse

Vanderbilt University Psychology Dept.

The Harvard Crimson Center for Substance Abuse Research

Novartis (Ritalin description)

University of Texas Medical Branch, Galveston

University of Indiana Prevention Resource Center

Royal Canadian Mounted Police

New York University Health Center

The Family Council on Drug Awareness

"Australia in legal drug abuse crisis," *Sydney Morning Herald*, 22 July 2007

"Illicit Intravenous Use of Methylphenidate (Ritalin) Tablets: A Review of Four Cases," Stephen Farquhar, Paul Fawcett, John Fountain

PHOTO CREDITS: Pages 4 and 5: [istockphoto.com/MattySymons](http://istockphoto.com/MattySymons); Page 11: Itar-Tass

Millions of copies of booklets such as this have been distributed to people around the world in 22 languages. As new drugs appear on the streets and more information about their effects becomes known, existing booklets are updated and new ones created.

In Australia the campaign is coordinated by Drug-Free Ambassadors Australia, a recognised charity with the Department of Family and Community Services' Harm Prevention Register.

The booklets are published by the Foundation for a Drug-Free World, a nonprofit public benefit organisation headquartered in Los Angeles, California.

The Foundation provides educational materials, advice and coordination for its international drug prevention network. It works with youth, parents, educators, volunteer organisations and government agencies—anyone with an interest in helping people lead lives free from drug abuse.

# FACTS YOU NEED TO KNOW

This booklet is one in a series of publications that cover the facts about marijuana, alcohol, Ecstasy, cocaine, crack cocaine, crystal meth and methamphetamine, inhalants, heroin, LSD and prescription drug abuse. Armed with this information, the reader can make the decision to live a drug-free life.

**For more information or to obtain more copies of this or other booklets in this series, contact:**



Foundation for a Drug-Free World  
1626 N. Wilcox Avenue, #1297  
Los Angeles, CA 90028 USA  
[drugfreeworld.org](http://drugfreeworld.org)  
[info@drugfreeworld.org](mailto:info@drugfreeworld.org)  
Phone: +1-818-952-5260

Drug-Free Ambassadors Australia  
P.O. Box A2173  
Sydney South, NSW, 1035  
[drugfacts.org.au](http://drugfacts.org.au)  
[info@drugfreeambassadors.org.au](mailto:info@drugfreeambassadors.org.au)  
Phone: 02-9283-7456